

EXHIBIT M65

UDL LABORATORIES
EXPIRATION DATING FORM

MACHINE: 230 RUN SIZE: 470,000
HOURS: 9.9 SPLIT LOT: Y N ✓
ACCOUNT FOR SAMPLES: Y ✓ N
MFG. DATE: 03/07 EXP. DATE: 03/09
LOT #: 7J525 PKG. CONFIG: UD100
8+ MTH REVIEW: N/A DATE: N/A
EXCEPTIONS: N/A Jc 7/2/07
ASGN. EXP. DATE: 01/09 PKG. MATL: UV1
PC: WBS DATE: 7/02/07
REG: Jc DATE: 7/2/07

UDL 1020R2

EFF. DATE: 4-13-99

EXHIBIT M65
FOR ID. 1-26-10 178

RCV100-A

UDL Laboratories, Inc.
Receiving Form5-7157
Daily Log
A4132-001

Date Received..... 6/21/07

Received From..... AMIDE/BERTEK/MYLAN

**CORRECTED
COPY**

Shipped Via..... ABF

Receiving Lot No.... 7-06-261

Supplier Lot No..... 70175A1

Purchase Order No... 084105

Manufacture Date.... 03/07

Expiration Date..... 03/09

QUANTITY	ITEM No.	DESCRIPTION
96	30789	DIGITEK (DIGOXIN) 250 MCG (0.25 MG) TAB, USP BTL5000

Received By J. M. G.Date 6.27.07UDL 910R1
Eff. Date: 5-03-00

PLAINTIFFS' EXHIBITS 000644

RCV100-A

UDL Laboratories, Inc.
Receiving FormDaily Log
A4132-001

Date Received..... 6/21/07

Received From..... AMIDE/BERTEK/MYLAN

Shipped Via..... ABF

Receiving Lot No.... 7-06-261

Supplier Lot No..... 70175A1

Purchase Order No... 084105

Manufacture Date.... NA

Expiration Date..... 03/09

QUANTITY	ITEM No.	DESCRIPTION
96	30789	DIGITEK (DIGOXIN) 250 MCG (0.25 MG) TAB, USP BTL5000

Received By J. M. L.Date 6.21.07UDL 910R1
Eff. Date: 5-03-00

RCV110-B

UDL Laboratories, Inc.
Receiving Inspection FormDaily Log
A4132-001

Transaction Date.... 6/28/07

Receiving Lot No.... 7-06-261

Item Number..... 30789

Vendor Lot No..... 70175A1

Product Description

DIGITEK (DIGOXIN) 250 MCG
(0.25 MG) TAB, USP BTL5000

VISUAL INSPECTION

Specification No: S-7157
Page Revision No: 006
Code: ONE SIDE: BInspection Date: 6/28/07
Caliper or Micrometer: #M5 & DM5
Color: WHITE

Actual Count: 96

Containers Sampled: 3 BOTTLES
Quantity Sampled: 80 TABS
Defects Found: ~~NONE~~ # 6-28-07
4 tabs out of UDL's thickness
tolerance

Case Qty:

Second Sampling:

8 CS @ 12 X 5000

Containers Sampled: NA
Quantity Sampled: NA
Defects Found: NANo of Skids 1
Memo Attached: ~~N~~ Y
6-28-07
Reduced Dating: NAInspection Results:
Label Revision: RBK146Z1
Insert Revision: 11/00
Average Piece Weight: 0.120333
Inspection Notes:
NA

Sample: 20 QA SAMPLES

Tooling/Specification Sample: NA

Accept: X Reject: NA

MRB No: NA

Reasons: NA

Q.A. Inspector: P. FinchDate: 6-28-07Verified by: D. McLeanDate: 6-29-07UDL 945R5
Eff: 02/28/03

ACTAVIS TOTOWA LLC

Fax: 19738907980

May 16 2007 14:36

P. 18



101 E. Main Street, Little Falls, NJ 07424 • Ph: (973) 890-1440 • Fax: (973) 890-7980.

Digoxin Tablets, 0.25 mg

BATCH # 70175A

CERTIFICATE OF ANALYSIS GENERATED FOR
CUSTOMER PURPOSES ONLY

All testing has been performed in accordance with GMP and GLP and all results have been found to comply with the registered specifications.

Part of Bulk Batch # 70175A is bottled as Control # 70175A1
(PACK SIZE 5000)

Manufactured Date: 03/02/2007

Approved By: [Signature]
Regulatory Affairs

Date: 3/27/07

pt
6-27-07

Antavis Totowa LLC

CERTIFICATE OF ANALYSIS

Product Name: Digoxin Tablets, 0.25 mg

Date of Analysis: 03/27/07 Control No: 70175A Exp. Date: March 2009

TEST	TESTED	RESULT
DESCRIPTION: Color:	White	White
Profile:	Round bisected tablets	Round bisected tablets
Other: Debossed	"B 145" on bisected side	"B 145" on bisected side
FRIABILITY:	0.1%	NMT 1.0%
IDENTIFICATION: (A)	The retention time of the major peak in the chromatogram of Assay preparation corresponds to standard preparation.	The retention time of the major peak in the chromatogram of Assay preparation corresponds to standard preparation.
	(B) The Rf value of test solution corresponds to standard solution.	The Rf value of test solution corresponds to standard solution.
ASSAY: Digoxin, 0.25 mg	98.8%	90.0% - 105.0%
UNIFORMITY OF DOSAGE UNITS: (Content Uniformity) Digoxin, 0.25 mg	1) 98.0% 2) 96.2% 3) 100.0% 4) 97.6% 5) 98.1% Average: 98.0% SD: 1.28%	6) 98.7% 7) 95.8% 8) 98.8% 9) 97.7% 10) 99.1% RSD: NMT 6.0%
DISSOLUTION: Media: 500mL; 0.1N HCl Apparatus: I, RPM: 120 Temp: 37.0°C ± 0.5°C Time: 60 minutes	1) 98.0% 2) 101.6% 3) 95.6% Average: 98.7%	4) 97.0% 5) 98.7% 6) 101.4% NLT 80 % (Q) of the labeled amount of Digoxin is dissolved in 60 minutes.
Related Substances: Digoxigenin	0.625%	NMT 2.0%
Digoxigenin bisdigigitoxoside	0.493%	NMT 2.0%
Gitoxin	Not detected	NMT 3.0%

for COP
 Director of Quality Control

Date 03/27/07

PL
 6-27-07

UDL LABORATORIES, INC.

PURCHASE ORDER



1718 Northrock Court
Rockford, IL 61103-1201
(815) 282-1201

EQUAL EMPLOYMENT OPPORTUNITY POLICY

It is the policy of UDL Laboratories, Inc. to give fair consideration to all qualified persons, and all employees opportunities for advancement according to their individual abilities regardless of race, religion, color, national origin, sex, marital status, sexual preference, age, handicap, or veteran status. No opportunity for promotion, transfer, compensation or any other benefit of employment will be diminished through discriminatory practices. In addition, UDL agrees to take affirmative action to ensure equal employment opportunity.

PURCHASE ORDER NO. 84105

DATE ISSUED 5/23/07

ORDER TO: 3434-10
AMIDE/PERTEK/MYLAN
781 CHESTNUT RIDGE RD.
P.O. BOX 4310
MORGANTOWN WV 26504-4310
CONNIE HATCHER
SHIP VIA: BEST WAY

SHIP TO: UDL DISTRIBUTION
4951 HIAWATHA DR
ROCKFORD IL 61103-1207

A4132

URGENT
FREIGHT TERMS: P

Testmat

ITEM	DESCRIPTION	QTY. ORDERED	QTY. REC'D.	PRICE	AMOUNT
30789	DIGITEK (DIGOXIN) 250 MCG (0.25 MG) TAB, USP BTL5000	96.00	.00	59.77000	5737.92
146-55					
7-06-261	70175A1 3/09 3/07 DUE DATE: 6/14/07 LABEL: PERTEK		96	6-28-07	
CONFIRMING PER:					
CONFIRMING ORDER: PRODUCT SHIPPED MUST HAVE 18 MONTHS DATING. CERTIFICATE OF ANALYSIS MUST ACCOMPANY ORDER. SHIP ALL SAME LOT.					
NOTE: IF PRODUCT TO BE SHIPPED ON THIS ORDER HAS BEEN REFORMULATED, CONTACT UDL BEFORE SHIPPING.					

SHIP VIA ABF

ORDER TOTAL

5737.9

REC'D. BY n/a DATE _____Q.C. INSPECTOR P. Finch ACC. ✓ REJ. _____ DATE 6-28-07

PLAINTIFFS' EXHIBITS 000649

Mylan Pharmaceuticals Inc.**Sold By:**

Name: Mylan Pharmaceuticals Inc.
Street: 781 Chestnut Ridge Road
City: Morgantown
State: WV Zip: 26504-4310

Federal ID Number:

Telephone Number: 304-599-2595

Shipped From:

Name: Mylan Pharmaceuticals Inc. Distribution Center
Street: 2898 Manufacturers Road
City: Greensboro
State: NC Zip: 27406
DEA Number: RM0130093
DC Phone Number: 1-800-446-9526



80020813

Sold To:

Name: UDL Laboratories, Inc.
Street: 1718 Northrock Court
City: Rockford
State: IL Zip: 61103

Shipped To:

Name: UDL Laboratories, Inc./Rockford, IL
Street: 4951 Hiawatha Drive
City: Rockford
State: IL Zip: 61103-1287

Delivery Number: 80020813
Order Date: 05/24/2007
Sales Order: 1005885
PO Number: 84105
DEA Number: PU0219902

Material	Product Description	Batch Number	Qty Ordered	Qty Shipped	Qty B.O.	Complete Cartons	Repack Cartons	Repack Quantity
Pallet 62794-146-56	100303780000587145 Digitex 0.25 mg 5000s	70175A1	96	96	0	8 X 12		

(8 Ctns x 12) = 96

Lot 70175A1

Exp 03 09

J-m:6

6-21-07

ABF

Ctns Complete: 8

Repack Ctns:

Total: 8

Filled By: DKPHILLI

Legend: * Indicates the Qty Ordered was shipped on multiple lines, in multiple shipments, or in repack cartons.

**ABF FREIGHT SYSTEM, INC.**

(ABFS)

CONSIGNEE COPY

www.abf.com

TERMINAL 815-874-6866

DUNS 00-690-2977

06/21/07 03:09

PAGE 1 OF 3

CORR = A

SHIPPER'S NO. 3373

PICKUP DATE

CODE TO

PO NO.

NO. OF P.O.'S =

12

ROUTING

WNS-RFD

FREIGHT BILL NO.

051103126

06/19/07

115D

SEE BELOW

082097-0020

CONSIGNEE

082097-0014

UDL LABORATORIES INC

MYLAN PHARMACEUTICALS

2898 MANUFACTURERS RD
GREENSBORO NC 274064951 HIAWATHA DRIVE
ROCKFORD IL 61103

PIECES	DESCRIPTION	WEIGHT (LBS.)	RATE	CHARGES
4 SKDS	WAPPT: THURSDAY 06/21 1000-1200 ACONTACT: UDL LABORATORIES INC A DUE = TK BY THU 06/21 BY 12:00 TOTAL INQ PIECES: 206 TIMEKEEPER SPECIFIC DELIVERIES OF 206 CTNS DRUGS/MEDICINES, NOI, RUNX \$2.65/LB, O/T CORROSIVE MATERIALS, IN CTNS ITEM 058770-02P CITEM 060000-00 FRT CAN'T BE LDD ON TOP OF THIS SHPMT / ABF TIMEKEEPER SHIPMENT / SHIPPER LOAD / PRICING QUOTE THANKS FOR SHIPPING ABF	206 CTNS ON TKSD 2,855 NFOT TK SL PQ TRACK		4 skids

BILL TO

COD AMOUNT

RB

TAR ABF610

OZP 27406

DZP 61103

SPEC. HAND.

PAY THIS AMOUNT

REMIT TO

E 0224

VERY DUE

TK THU 06/21

PRIOR PRO

DATE

DELIVERY DATE

DRIVER

CONSIGNEE

BY (CUSTOMER'S SIGNATURE)

6.21.07

**ABF FREIGHT SYSTEM, INC.**

(ABFS)

CONSIGNEE COPY

www.abf.com

TERMINAL 815-874-6866

DUNS 00-690-2977

06/21/07 03:09

PAGE 2 OF 3

CORR = A

SHIPPER'S NO. 3373

PICKUP DATE

CODE TO

PO NO.

NO. OF P.O.'S =

12

ROUTING

WNS-RFD

FREIGHT BILL NO.

051103126

06/19/07

115D

SEE BELOW

082097-0020

CONSIGNEE

082097-0014

UDL LABORATORIES INC

MYLAN PHARMACEUTICALS

2898 MANUFACTURERS RD
GREENSBORO NC 274064951 HIAWATHA DRIVE
ROCKFORD IL 61103

PIECES	DESCRIPTION	WEIGHT (LBS.)	RATE	CHARGES
	// FUEL SURCHARGE // TK DELIVERY BY 12:00 // W02/AUTH:Reweigh - See W&R certificat // e for details.// PO: 83413 PCS 9 WEIGHT 10 LB PO: 83866 PCS 16 WEIGHT 884 LB PO: 84105 PCS 8 WEIGHT 10 LB PO: 84109 PCS 1 WEIGHT 10 LB PO: 84254 PCS 3 WEIGHT 10 LB THANKS FOR SHIPPING ABF	FSC TKIMBY		

BILL TO

COD AMOUNT

RB

TAR ABF610

OZP 27406

DZP 61103

SPEC. HAND.

PAY THIS AMOUNT

REMIT TO

E 0224

VERY DUE

TK THU 06/21

PRIOR PRO

DATE

DELIVERY DATE

DRIVER

X J. M. S. C.

ABF FREIGHT SYSTEM, INC. (ABFS) CONSIGNEE COPY www.abf.com		CORR = A	
TERMINAL 815-874-6866		PAGE 3 OF 3	
DUNS 00-690-2977		06/21/07 03:09	
SHIPPER'S NO. 2373		FREIGHT BILL NO. 051103126	
PICKUP DATE 06/19/07	CODE TO 1150	NO. OF POS. 12	ROUTING RM-4 WNS-RFD
SEE BELOW		CONSIGNEE 082097-0014	
MYLAN PHARMACEUTICALS		UDL LABORATORIES INC	
2898 MANUFACTURERS RD		4951 MIAMATHA DRIVE	
GREENSBORO NC 27406		ROCKFORD IL 61103	
PIECES	DESCRIPTION	WEIGHT (LBS)	RATE
96	PCS 84256	706 LB	
5	PCS 84259	10 LB	
3	PCS 84260	10 LB	
42	PCS 84261	662 LB	
13	PCS 84262	10 LB	
6	PCS 84278	10 LB	
ABF MEASURED CUBE: 224.000 CUFT			
THANKS FOR SHIPPING ABF			
BILL TO		PAY THIS AMOUNT	
CUST AMOUNT		2,855 PREPAID	
TAX ABF610		0.00	
OZP 27406			
DZP 61103			
SPEC. HAND.			
REMIT TO			
CUBE 0.224			
DELIVERY DATE			
TK THU 06/21			
DRIVER			
CUST HELP UNLD? Y N		CONSIGNEE	
		BY (CUSTOMER'S SIGNATURE) <i>X J. M. L.</i> 6.21.07	

UDL LABORATORIES, INC.
PRODUCT INSPECTION RECORDPage 1 of 1Product Description Digitex (digoxin tablet, USP) 250 mcg (0.25 mg)Manufacturer/Supplier Amido / BertekManufacturer Lot # 70175A1Receiving Lot # 7-06-261

DIAMETER	THICKNESS	LENGTH	WIDTH
1. <u>7.19</u> mm	1. <u>3.15</u> mm	1. _____ mm	1. _____ mm
2. <u>7.21</u> mm	2. <u>3.16</u> mm	2. _____ mm	2. _____ mm
3. <u>7.20</u> mm	3. <u>3.14</u> mm	3. _____ mm	3. _____ mm
4. <u>7.21</u> mm	4. <u>3.16</u> mm	4. _____ mm	4. _____ mm
5. <u>7.20</u> mm	5. <u>3.17</u> mm	5. _____ mm	5. _____ mm
6. <u>7.21</u> mm	6. <u>3.17</u> mm	6. _____ mm	6. _____ mm
7. <u>7.20</u> mm	7. <u>3.14</u> mm	7. _____ mm	7. _____ mm
8. <u>7.21</u> mm	8. <u>3.12</u> mm	8. _____ mm	8. _____ mm
9. <u>7.21</u> mm	9. <u>3.19</u> mm	9. _____ mm	9. _____ mm
10. <u>7.20</u> mm	10. <u>3.18</u> mm	10. _____ mm	10. _____ mm
11. <u>7.20</u> mm <u>6-28-07</u>	11. <u>3.14</u> mm	11. _____ mm	11. _____ mm
12. <u>7.21</u> mm	12. <u>3.17</u> mm	12. _____ mm	12. _____ mm
13. <u>7.20</u> mm	13. <u>3.18</u> mm	13. _____ mm	13. _____ mm
14. <u>7.20</u> mm	14. <u>3.17</u> mm	14. _____ mm	14. _____ mm
15. <u>7.21</u> mm	15. <u>3.18</u> mm	15. _____ mm	15. _____ mm
16. <u>7.21</u> mm	16. <u>3.18</u> mm	16. _____ mm	16. _____ mm
17. <u>7.23</u> mm	17. <u>3.17</u> mm	17. _____ mm	17. _____ mm
18. <u>7.20</u> mm	18. <u>3.20</u> mm	18. _____ mm	18. _____ mm
19. <u>7.21</u> mm	19. <u>3.16</u> mm	19. _____ mm	19. _____ mm
20. <u>7.21</u> mm	20. <u>3.18</u> mm	20. _____ mm	20. _____ mm
Average <u>7.21</u> mm	<u>3.17</u> mm	_____ mm	_____ mm
Range <u>7.19-7.23</u> mm	<u>3.12-3.20</u> mm	_____ mm	_____ mm
INSPECTOR <u>P. Finch</u>	DATE <u>7-28-07</u>		

UDL 940R2
Eff. Date: 6-7-00
(Orig. 2-16-98)

UDL LABORATORIES, INC.

MEMORANDUM

To: The Receiving Report

From: Eva Cantu 

Date: August 15, 2006

Re: *Documentation of Supplier Name Change – Amide/Bertek/Mylan*

The products that were supplied by Bertek and manufactured by Amide; are now being supplied by Mylan. However, the product label and insert still reflect Amide/Bertek. Until the supplier's product label and insert reflect a name change, UDL will continue to record Amide/Bertek on its product specification and labeling.

This memorandum will be placed in the batch record to explain the inconsistency of the supplier/manufacturer name on the paperwork/documents within the batch record.

cc: Vince Mancinelli, Sue Powers, Li Radtke, Mike Armstrong, Shirley Svejcar, Val Schissel, Yvette Smith, Paul Trost, Phyllis Fender

**UDL LABORATORIES, INC.
MEMORANDUM**

TO: The File
FROM: Peggy Finch
DATE: December 11, 2006
RE: Documentation of Amide Pharmaceuticals and Actavis

As of December 20, 2005, Actavis acquired Amide Pharmaceuticals. Amide has begun adding Actavis to its documents; however, its product label and insert still record Amide. During this transition period, some UDL documents within the batch record will reflect Amide and/or Actavis. Once the name change is reflected on the product label and insert, UDL will update its labeling and documents.

This memo will explain the inconsistency of Amide and/or Actavis observed on the documents.

A copy of this memo will be attached to the affected receiving reports.

cc: Sue Powers
Eva Cantu
Li Radtke
Shirley Svejcar
Val Schissel
Teresa Wilmot

UDL LABS



TARE WT: 1.13 GRAMS



APW: 0.120333 GRAMS



QTY: 20

TIME: 9:46 AM

DATE: 28 JUN 2007